



FLOOR

PREPARATION

BROCHURE 2023

Woodlands, South Hanningfield Road,  
South Hanningfield, Essex CM3 8HQ

**Tel: (01245) 403353**

**E: [natasha@seabrookdev.com](mailto:natasha@seabrookdev.com)**



### HTC 650 RX Radio Controlled Grinder

|                   |                |
|-------------------|----------------|
| Weight            | 455 kg         |
| Grinding Pressure | 183-202-272 kg |
| Grinding Diameter | 650 mm         |
| Grinding Discs    | 4 x 230 mm     |
| Voltage           | 3 x 400 v      |
| Motor Output      | 11 kW          |
| Revolution Speed  | 300 - 1400 rpm |

[HTC 650 RX Datasheet - Page 91 - 92](#)



### HTC 420 VS Grinder

|                   |                |
|-------------------|----------------|
| Weight            | 94 kg          |
| Grinding Pressure | 65 kg          |
| Grinding Diameter | 420 mm         |
| Grinding Discs    | 3 x 180 mm     |
| Voltage           | 1 x 100 v      |
| Motor Output      | 2,2 kW         |
| Revolution Speed  | 430 - 1140 rpm |

[HTC 420 VS Datasheet - Page 93 - 94](#)



### HTC 270 EG Grinder

|                   |                |
|-------------------|----------------|
| Weight            | 103 kg         |
| Grinding Pressure | 36 kg          |
| Grinding Diameter | 270 mm         |
| Grinding Discs    | 1 x 270 mm     |
| Voltage           | 3 x 400 v      |
| Motor Output      | 2,2 kW         |
| Revolution Speed  | 460 - 1220 rpm |

[HTC 270 EG Datasheet - Page 95](#)





## HTC GREYLINE 450

|                   |            |
|-------------------|------------|
| Weight            | 95 kg      |
| Grinding Pressure | 59 kg      |
| Grinding Diameter | 450 mm     |
| Grinding Discs    | 3 x 180 mm |
| Voltage           | 1 x 110 v  |
| Motor Output      | 1,5 kW     |
| Revolution Speed  | 470 rpm    |

[HTC GREYLINE 450 Datasheet - Page 96](#)



## HTC 80iD Dust Extractor

|                          |                       |
|--------------------------|-----------------------|
| Weight                   | 272 kg                |
| Motor Output             | 7,5 kW                |
| Voltage                  | 3 x 400 v             |
| Max. Theoretical Airflow | 700 m <sup>3</sup> /h |

[HTC 80iD Datasheet - Page 97](#)



## PPC 250 Electric Grinder

|                   |        |
|-------------------|--------|
| Weight            | 145 kg |
| Grinding Diameter | 250 mm |
| Voltage           | 415 v  |
| Motor Output      | 5,5 kW |

[PPC 250 Datasheet - Page 97](#)



## SPE DFG250 Electric Grinder

|                   |        |
|-------------------|--------|
| Weight            | 160 kg |
| Grinding Diameter | 250 mm |
| Voltage           | 415 v  |
| Motor Output      | 5,5 kW |

[SPE DFG250 Datasheet - Page 98](#)

### **Preptec S3-B Dust Control Vacuum**

110v Motor  
50L Capacity



### **PPC M450 Dust Extractor**

110v Motor  
50L Capacity



### **SPE 12ES Shot Blaster Electric 3 Phase**

Blast Motor Output 10hp  
Cleaning Width 305 mm  
Weight 320 kg

[SPE 12ES Datasheet - Page 99](#)



### **Preptec S210 40R Shot Blaster 3 Phase**

Power 4.0 kw  
Blast Width 210 mm  
Weight 114 kg

[Preptec S210 40R Datasheet - Page 100](#)





## Magnet Sweeper

Used for collection of stray steel abrasive following shot blasting.

Size (L x W x H) 890 / 750 / 860 mm



## SPE BEF320 3 Phase Concrete Scarifier

Working Width 320 mm

Cutter Head Speed 933 rpm

Working Width 320 mm

Weight 339 kg

[SPE BEF 320 Datasheet - Page 101](#)



## 110v Scarifier

Single Phase