



PLANT HIRE BROCHURE 2023

Forklifts, Excavators,
Floor Preparation & More

Woodlands, South Hanningfield Road,
South Hanningfield, Essex CM3 8HQ

Tel: (01245) 403353

E: natasha@seabrookdev.com





Contents

<u>Aerial Platforms</u>	Page 6	<u>Excavators</u>	Page 11
Genie GS-1932	Page 6	Hyundai 125 LCR-9A	Page 11
Genie GR-15	Page 6	JCB 85Z-1	Page 11
Genie GR-20	Page 6	JCB 67C-1	Page 11
Genie GS2668 RT	Page 6	Hyundai R272-9	Page 11
Genie GS-4046E	Page 7	JCB 19C-1	Page 12
Genie Z-45	Page 7	JCB 18Z-1	Page 12
JCB S3246E	Page 7	Takeuchi TB216 Hybrid	Page 12
JLG Toucan 800A	Page 7	Wacker Neuson 803	Page 12
JLG Toucan 1010	Page 8		
Nifty HR12	Page 8	<u>Dumpers</u>	Page 13
Skyjack SJ111-3226	Page 8	Thwaites MACH2066	Page 13
Upright X26N	Page 8	Wacker Neuson 4001	Page 13
		Wacker Neuson 3001	Page 13
<u>Forklifts</u>	Page 9	Ecovolve ED1000	Page 13
Doosan B25X-7	Page 9	JCB 1T-1	Page 14
Linde E25	Page 9		
Linde H25	Page 9	Bomag BW120 AD-5 Roller	Page 14
<u>Telehandlers</u>	Page 10		
JCB 525-60	Page 10		
JCB 535-125	Page 10		
JCB TLT 35D	Page 10		

TEL: 01245 403353

www.seabrookdevelopments.com



<u>Brokk Demolition Robots</u>	Page 15	<u>Other Floor Preparation</u>	Page 19
Brokk 160	Page 15	PPC 250 Electric Grinder	Page 19
SB202 Breaker	Page 15	SPE DFG250 Electric Grinder	Page 20
CC420 Concrete Crusher	Page 15	Preptec S3-B Vacuum	Page 20
Rockwheel TD-30	Page 15	PPC M450 Dust Extractor	Page 20
Brokk 110	Page 16	SPE 12ES Shot Blaster	Page 20
SB152 Breaker	Page 16	Preptec S210 40R Shot Blaster	Page 20
CC340 Concrete Crusher	Page 16	Magnet Sweeper	Page 21
Buckets (all Brokk Models)	Page 17	SPE BEF320 Scarifier	Page 21
		110v Scarifier	Page 21
<u>HTC Grinders</u>	Page 18		
HTC 650 RX	Page 18		
HTC 420 VS	Page 18		
HTC 270 EG	Page 18		
HTC Greyline 450	Page 19		
HTC 80iD Dust Extractor	Page 19		

*Datasheets available upon request

TEL: 01245 403353

www.seabrookdevelopments.com

Genie GS-1932 Self-Propelled Electric

Max. Working Height	7.6 m
Lift Capacity	227 kg
Machine Width	0.81 m
Machine Length	1.83 m

[Genie GS-1932 Datasheet - Page 28](#)

**Genie GR-15 Runabout Electric**

Max. Working Height	6.52 m
Lift Capacity	227 kg
Machine Width	0.75 m
Machine Length	1.35 m

[Genie GR-15 Datasheet - Page 29](#)

**Genie GR20 Runabout Electric**

Max. Working Height	8.02 m
Lift Capacity	159 kg
Machine Width	0.75 m
Machine Length	1.35 m

[Genie GR20 Datasheet - Page 29](#)

**Genie GS2668 RT Self-Propelled Diesel**

Max. Working Height	9.92 m
Lift Capacity	567 kg
Machine Width	1.73 m
Machine Length	2.67 m

[Genie GS-2668 RT Datasheet - Page 30](#)

**Genie GS-4046E Drive Electric**

Max. Working Height	13.94 m
Lift Capacity	350 kg
Machine Width	1.17 m
Machine Length	2.48 m

[Genie GS-4046 Datasheet - Page 31](#)

**Genie Z-45 Self-Propelled Articulating Boom Dual Fuel**

Max. Working Height	15.92 m
Max. Horizontal Reach	6.94 m
Max Up and Over Clearance (Riser extended)	7.5 m
Lift Capacity	300 kg

[Genie Z-45 Datasheet - Page 32](#)

**JCB S3246E Electric**

Max. Working Height	12 m
Lift Capacity	320 kg
Machine Width	1.15 m
Machine Length	2.39 m

[JCB S3246E Datasheet - Page 33](#)

**JLG Toucan 800 A Electric**

Platform Height Elevated	6.1 m
Platform Capacity	200 kg
Machine Width	0.99 m

[JLG Toucan 800A Datasheet - Page 41](#)



JLG Toucan 1010 Electric

Platform Height Elevated 8.1 m
Platform Capacity 200 kg
Machine Width 0.99 m

[JLG Toucan 1010 Datasheet - Page 42](#)



Nifty HR12 Bi-Energy

Max. Working Height 12.2 m
Max. Horizontal Reach 6.1 m
Platform Capacity 200 kg

[Nifty HR12 Datasheet - Page 44](#)



Skyjack SJ111-3226 Electric

Max. Working Height 9.92 m
Lift Capacity 227 kg
Machine Width 0.84 m
Machine Length 2.32 m

[Skyjack SJ111 3226 Datasheet - Page 51](#)



Upright X26N Electric

Max. Working Height 9.93 m
Lift Capacity 454 kg
Machine Width 1.22 m
Machine Length 2.35 m

[Upright X26N Datasheet - Page 45](#)



TEL: 01245 403353

Doosan B25X-7 AC Electric (360° CAM Rotator Optional)

Load Capacity without Rotator 2.5T
Load Capacity with Rotator 2T
Machine Width 1.24m
Machine Height 2.18m

[Doosan B25X-7 Datasheet - Page 24](#)



Linde E25 Battery fitted with 360° CAM Rotator

Load Capacity 2T
Machine Width 1.75 m
Machine Height 2.15 m

[Linde E25 Datasheet - Page 26](#)



Linde H25 Diesel

Load Capacity 2.5T
Machine Width 1.18 m
Machine Height 2.22 m

[Linde H25D Datasheet - Page 27](#)



TEL: 01245 403353

JCB 525-60

Max. Lift Capacity	2.5 T
Lift Height	6 m
Machine Width	1.84 m
Machine Height	1.89 m
Machine Length to fork face	4 m

[JCB 525-60 Datasheet - Pages 34 - 35](#)



JCB 535-125

Max. Lift Capacity	3.5 T
Lift Height	12.07 m
Machine Width	2.35 m
Machine Height	2.59 m
Machine Length to fork face	5.8 m

[JCB 535-125 Datasheet - Page 36 - 37](#)



JCB TLT 35D

Max. Lift Capacity	3.5T
Lift Height	4.4 m
Machine Width	1.28 m
Machine Height	2.2 m
Machine Length to fork Face	3m

[JCB TLT35D Datasheet - Page 38 - 40](#)



Hyundai 125 LCR-9A 13T Diesel

Max. Digging Depth	5.06 m
Max. Dumping Height	5.74 m
Machine Width	2.7 m
Machine Height	2.9 m
Overall Length	6.86 m

[Hyundai R125 LCR-9A Datasheet - Page 46](#)



JCB 85Z-1 8T Diesel

Max. Digging Depth (Dozer Down)	3.715 m
Max. Dumping Height	5.023 m
Machine Width	2.3 m
Machine Height	2.71 m
Overall Length	5.84m

[JCB 85z-1 Datasheet - Page 47 - 48](#)



JCB 67C-1 6T Diesel

Max. Digging Depth (Dozer Down)	4.07 m
Max. Dumping Height	4.281 m
Machine Width	2 m
Machine Height	2.58 m
Overall Length	5.6 m

[JCB 67c Datasheet - Page 50 - 53](#)



Hyundai R27Z-9 3T Diesel

Max. Digging Depth	2.5 m
Max. Dumping Height	2.89 m
Machine Width	1.55 m
Machine Height	2.5 m
Overall Length	4.18 m

[Hyundai R27Z-9 Datasheet - Page 49](#)



JCB 19C-1 1.9T Electric

Max. Digging Depth (Dozer Down)	2.426 m
Max. Dumping Height	2.598 m
Machine Width	0.99 m
Machine Height	2.34 m
Overall Length	3.86 m

[JCB 19C-E Datasheet - Page 58 - 61](#)

**JCB 18Z-1 1.7T Diesel**

Max. Digging Depth (Dozer Down)	2.426 m
Max. Dumping Height	2.598 m
Machine Width	0.99 m
Machine Height	2.34 m
Overall Length	3.54 m

[18Z-1 Datasheet - Page 62 - 65](#)

**Takeuchi TB216 1.6T Hybrid**

Max. Digging Depth	2.39 m
Max. Dumping Height	2.7 m
Machine Width	1.3 m
Machine Height	2.36 m
Overall Length	4.04 m

[Takeuchi TB216 Datasheet - Page 54](#)

**Wacker Neuson 803 1T Dual Power**

Max. Digging Depth	1.76 m
Max. Dumping Height	2.01 m
Machine Width	0.71 m
Machine Height	2.26 m
Overall Length	2.83 m

[Wacker Neuson 803 Datasheet - Page 55 - 57](#)

**Thwaites MACH2066 6T Diesel****Power Swivel**

Unladen Weight	4420 kg
Machine Width	2.28 m
Machine Height	3.3 m
Overall Length	5.08 m

**Wacker Neuson 4001 4T Diesel Four-wheel Pro Swivel Tip**

Unladen Weight	2730 kg
Machine Width	1.795 m
Machine Height	2.7 m
Overall Length	4.2 m

[Wacker Neuson 4001 Datasheet - Page 68 - 71](#)

**Wacker Neuson 3001 3T Diesel Four-wheel Swivel Tip**

Unladen Weight	2550 kg
Machine Width	1.785 m
Machine Height	2.67 m
Overall Length	4.14 m

[Wacker Neuson 3001 Datasheet - Page](#)

**Ecovolve ED1000 1T Electric**

Unladen Weight	1300 kg
Machine Width	0.965 m
Machine Height	1.31 m
Overall Length	2.565 m

[Ecovolve ED1000 Datasheet - Page 74](#)



JCB 1T Diesel Front Tip—High Tip

Unladen Weight	1350 kg
Machine Width	1.12 m
Machine Height	2.832 m
Overall Length	2.98 m

[JCB 1T Datasheet - Page 75 - 77](#)

**BOMAG BW 120 AD-5 Tandem Roller**

Operating Weight	2.700kg
Drum Width	1200 mm
Machine Height	2.568 m
Overall Length	2.59 m

[Bomag BW120 AD-5 Datasheet - Page 78 - 79](#)



TEL: 01245 403353

**Brokk 160**

Remote Controlled Demolition
Machine

(with SB202 attachment)

[Datasheet Page 80 - 81](#)

Brokk 160 Attachments**SB202 Breaker**

Hitting Power 406 J/Nm
850 - 1800 Blows/min
Weight 200 kg

**CC420 Concrete Crusher**

Jaw Opening 420 mm
Max. Crushing Force 382kN
Weight 240 kg
[Datasheet - Page 82](#)

**Rockwheel TD-30****Hydraulic Cutting Unit**

Max. Input Power 22kw
Max. Pressure 400 bar
Pick Force 9.9kN @ 300 bar
Weight 215 kg

***Buckets - see page 17**

TEL: 01245 403353

Brokk 110

Remote Controlled Demolition
Machine

(with SB152 attachment)

[Datasheet - Page 85 - 86](#)



Brokk 110 Attachments

SB152 Breaker

Hitting Power 254 J/Nm

840 - 1900 Blows/min

Weight 140 kg



CC340 Concrete Crusher

Jaw Opening 343 mm

Max. Crushing Force 360kN

Weight 150 kg

[Datasheet - Page 87](#)



***Buckets - see page 17**



Brokk Buckets

Made for	Volume	Width	Weight
Brokk 160	80L / 2.8 cu ft	690 mm	76 kg
Brokk 110	60L / 2.1 cu ft	520 mm	61 kg
Brokk 70	40L / 1.4 cu ft	430 mm	29 kg

HTC 650 RX Radio Controlled Grinder

Weight	455 kg
Grinding Pressure	183-202-272 kg
Grinding Diameter	650 mm
Grinding Discs	4 x 230 mm
Voltage	3 x 400 v
Motor Output	11 kW
Revolution Speed	300 - 1400 rpm

[HTC 650 RX Datasheet - Page 91 - 92](#)



HTC 420 VS Grinder

Weight	94 kg
Grinding Pressure	65 kg
Grinding Diameter	420 mm
Grinding Discs	3 x 180 mm
Voltage	1 x 100 v
Motor Output	2,2 kW
Revolution Speed	430 - 1140 rpm

[HTC 420 VS Datasheet - Page 93 - 94](#)



HTC 270 EG Grinder

Weight	103 kg
Grinding Pressure	36 kg
Grinding Diameter	270 mm
Grinding Discs	1 x 270 mm
Voltage	3 x 400 v
Motor Output	2,2 kW
Revolution Speed	460 - 1220 rpm

[HTC 270 EG Datasheet - Page 95](#)



HTC GREYLINE 450

Weight	95 kg
Grinding Pressure	59 kg
Grinding Diameter	450 mm
Grinding Discs	3 x 180 mm
Voltage	1 x 110 v
Motor Output	1,5 kW
Revolution Speed	470 rpm

[HTC GREYLINE 450 Datasheet - Page 96](#)



HTC 80iD Dust Extractor

Weight	272 kg
Motor Output	7,5 kW
Voltage	3 x 400 v
Max. Theoretical Airflow	700 m³/h

[HTC 80iD Datasheet - Page 97](#)



PPC 250 Electric Grinder

Weight	145 kg
Grinding Diameter	250 mm
Voltage	415 v
Motor Output	5,5 kW

[PPC 250 Datasheet - Page 97](#)



SPE DFG250 Electric Grinder

Weight	160 kg
Grinding Diameter	250 mm
Voltage	415 v
Motor Output	5,5 kW

[SPE DFG250 Datasheet - Page 98](#)



Preptec S3-B Dust Control Vacuum

110v Motor
50L Capacity



PPC M450 Dust Extractor

110v Motor
50L Capacity



SPE 12ES Shot Blaster Electric 3 Phase

Blast Motor Output 10hp
Cleaning Width 305 mm
Weight 320 kg

[SPE 12ES Datasheet - Page 99](#)



Preptec S210 40R Shot Blaster 3 Phase

Power 4.0 kw
Blast Width 210 mm
Weight 114 kg

[Preptec S210 40R Datasheet - Page 100](#)



Magnet Sweeper

Used for collection of stray steel abrasive following shot blasting.

Size (L x W x H) 890 / 750 / 860 mm



SPE BEF320 3 Phase Concrete Scarifier

Working Width 320 mm
Cutter Head Speed 933 rpm
Working Width 320 mm
Weight 339 kg

[SPE BEF 320 Datasheet - Page 101](#)



110v Scarifier

Single Phase

